

Home | Login | Logout | Access Information | Alerts | Purchase History | C

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((Isolation logic<sentence>module?)<paragraph>power domain)<in>metadata)" Your search matched 0 documents.

⊠e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

(((isolation logic<sentence>module?)<paragraph>power domain)<in>metadata)

Search >

» Кеу

Display Format:

Citation

Check to search only within this results set

Citation & Abstract

IEEE JNL

IEEE Journal or Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

No results were found.

IET CNF

IET Conference Proceeding

IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

•

Help Contact Us Privac

Copyright 2006 IE

indexed by



Home | Login | Logout | Access Information | Alerts | Purchase History |

Welcome United States Patent and Trademark Office

BROWSE SEARCH IEEE XPLORE GUIDE Results for "Isolation logic<paragraph>module? and power domain" ☑ e-mail Your search matched 0 of 1666250 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** New Search isolation logic<paragraph>module? and power domain Search > Check to search only within this results set » Көу Display Format: Citation Citation & Abstract IEEE JNL IEEE Journal or Magazine **IET JNL** IET Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

IET CNF

IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

indexed by inspec° Contact Us Privac

© Copyright 2006 IE



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

isolation logic<sentence>module? and power domain and volte





Feedback Report a problem Satisfaction survey

Terms used:

Found **33,448** of

isolation logic sentence module? and power domain and voltage sentence constraint?

211,032

Sort results by

Display

results

relevance expanded form

Save results to a Binder Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 200

window

Result page: 1 2 3 4 5 6 7 8 9 10

Relevance scale

Best 200 shown

LVS verification across multiple power domains for a quad-core microprocessor Wei Li, Daniel Blakely, Scott Van Sooy, Keven Dunn, David Kidd, Robert Rogenmoser, Dian

Zhou

April 2006 ACM Transactions on Design Automation of Electronic Systems (TODAES),

Volume 11 Issue 2

Publisher: ACM Press

Full text available: pdf(1.18 MB)

Additional Information: full citation, abstract, references, index terms

A unique LVS (layout-versus-schematic) methodology has been developed for the verification of a four-core microprocessor with multiple power domains using a triple-well 90-nm CMOS technology. The chip is migrated from its previous generation that is for a twin-well process. Due to the design reuse, VDD and GND are designed as global nets but they are not globally connected across the entire chip. The standard LVS flow is unable to handle the additional design complexity and there seems to be no ...

Keywords: LVS, multi-core microprocessor, physical verification

2 Systems 2: mobility and video: Chameleon: application level power management with

performance isolation

Xiaotao Liu, Prashant Shenoy, Mark Corner

November 2005 Proceedings of the 13th annual ACM international conference on Multimedia MULTIMEDIA '05

Publisher: ACM Press

Full text available: pdf(191.35 KB) Additional Information: full citation, abstract, references, index terms

In this paper, we present Chameleon---an application-level power management approach for reducing energy consumption in mobile processors. Our approach exports the entire responsibility of power management decisions to the application level. We propose an operating system interface that can be used by applications to achieve energy savings. We consider three classes of applications---soft real-time, interactive and batch---and design user-level power management strategies for representative appl ...

Keywords: mobile computing, multimedia, power management

3

Configurable isolation: building high availability systems with commodity multi-core



processors

Nidhi Aggarwal, Parthasarathy Ranganathan, Norman P. Jouppi, James E. Smith June 2007 ACM SIGARCH Computer Architecture News, Proceedings of the 34th annual international symposium on Computer architecture ISCA '07, Volume 35 Issue 2

Publisher: ACM Press

Full text available: pdf(458.30 KB) Additional Information: full citation, abstract, references, index terms

High availability is an increasingly important requirement for enterprise systems, often valued more than performance. Systems designed for high availability typically use redundant hardware for error detection and continued uptime in the event of a failure. Chip multiprocessors with an abundance of identical resources like cores, cache and interconnection networks would appear to be ideal building blocks for implementing high availability solutions on chip. However, doing so poses significan ...

Keywords: chip multiprocessors, fault isolation, high availability

4 Low power embedded architectures and platforms: Automatic ADL-based operand isolation for embedded processors



A. Chattopadhyay, B. Geukes, D. Kammler, E. M. Witte, O. Schliebusch, H. Ishebabi, R. Leupers, G. Ascheid, H. Meyr

March 2006 Proceedings of the conference on Design, automation and test in Europe: Proceedings DATE '06

Publisher: European Design and Automation Association

Full text available: 📆 pdf(193.73 KB) Additional Information: full citation, abstract, references

Cutting-edge applications of future embedded systems demand highest processor performance with low power consumption to get acceptable battery-life times. Therefore, low power optimization techniques are strongly applied during the development of modern Application Specific Instruction Set Processors (ASIPs). Electronic System Level design tools based on Architecture Description Languages (ADL) offer a significant reduction in design time and effort by automatically generating the software tool- ...

5 Power grid and large interconnect network analysis: Large power grid analysis using domain decomposition



Quming Zhou, Kai Sun, Kartik Mohanram, Danny C. Sorensen

March 2006 Proceedings of the conference on Design, automation and test in Europe: **Proceedings DATE '06**

Publisher: European Design and Automation Association

Full text available: 1 pdf(234.90 KB) Additional Information: full citation, abstract, references

This paper presents a domain decomposition (DD) technique for efficient simulation of large-scale linear circuits such as power distribution networks. Simulation results show that by integrating the proposed DD framework, existing linear circuit simulators can be extended to handle otherwise intractable systems.

6 Characterization of national Web domains



Ricardo Baeza-Yates, Carlos Castillo, Efthimis N. Efthimiadis

May 2007 ACM Transactions on Internet Technology (TOIT), Volume 7 Issue 2

Publisher: ACM Press

Additional Information: full citation, abstract, references, index terms Full text available: pdf(1.41 MB)

During the last few years, several studies on the characterization of the public Web space of various national domains have been published. The pages of a country are an interesting set for studying the characteristics of the Web because at the same time these are diverse (as they are written by several authors) and yet rather similar (as they share a common geographical, historical and cultural context).

This article discusses the methodologies used for presenting the results of Web c ...

Keywords: Web characterization, Web measurement

Special section: Reasoning about structure, behavior and function

B. Chandrasekaran, Rob Milne

July 1985 ACM SIGART Bulletin, Issue 93

Publisher: ACM Press

Full text available: pdf(5.13 MB) Additional Information: full citation, abstract, references, citings

The last several years' of work in the area of knowledge-based systems has resulted in a deeper understanding of the potentials of the current generation of ideas, but more importantly, also about their limitations and the need for research both in a broader framework as well as in new directions. The following ideas seem to us to be worthy of note in this connection.

Definable relations and first-order query languages over strings

Michael Benedikt, Leonid Libkin, Thomas Schwentick, Luc Segoufin September 2003 Journal of the ACM (JACM), Volume 50 Issue 5

Publisher: ACM Press

Full text available: pdf(587.44 KB) Additional Information: full citation, abstract, references, index terms

We study analogs of classical relational calculus in the context of strings. We start by studying string logics. Taking a classical model-theoretic approach, we fix a set of string operations and look at the resulting collection of definable relations. These form an algebra---a class of n-ary relations for every n, closed under projection and Boolean operations. We show that by choosing the string vocabulary carefully, we get string logics that have desirable properties: computable ...

Keywords: Strings, expressive power, first-order definability, quantifier elimination, query languages

The relational model for database management: version 2

E. F. Codd January 1990 Book

Publisher: Addison-Wesley Longman Publishing Co., Inc.

Additional Information: full citation, abstract, references, cited by, index Full text available: pdf(28.61 MB) terms, review

From the Preface (See Front Matter for full Preface)

An important adjunct to precision is a sound theoretical foundation. The relational model is solidly based on two parts of mathematics: firstorder predicate logic and the theory of relations. This book, however, does not dwell on the theoretical foundations, but rather on all the features of the relational model that I now perceive as important for database users, and therefore for DBMS vendors. My perceptions result from 20 y ...

10 SPOTS'06 session 4--new sensors and architectures: The low power energy aware

processing (LEAP)embedded networked sensor system Dustin McIntire, Kei Ho, Bernie Yip, Amarjeet Singh, Winston Wu, William J. Kaiser April 2006 Proceedings of the fifth international conference on Information processing in sensor networks IPSN '06

Publisher: ACM Press

Additional Information: full citation, abstract, references, cited by, index Full text available: pdf(200.80 KB) terms

A broad range of embedded networked sensor (ENS) systems for critical environmental monitoring applications now require complex, high peak power dissipating sensor devices, as well as on-demand high performance computing and high bandwidth communication. Embedded computing demands for these new platforms include support for computationally intensive image and signal processing as well as optimization and statistical computing. To meet these new requirements while maintaining critical support for ...

Keywords: embedded wireless networked sensor, energy-aware multiprocessor platform, sensor platform hardware and software architecture

11 <u>Domain-independent natural language interfaces: Isolating domain dependencies in</u> natural language interfaces

R. Grishman, L. Hirschman, C. Friedman

February 1983 Proceedings of the first conference on Applied natural language processing

Publisher: Association for Computational Linguistics

Publisher Site

Full text available: pdf(580.09 KB)

Additional Information: full citation, abstract, references, citings

Isolating the domain-dependent information within a large natural language system offers the general advantages of modular design and greatly enhances the portability of the system to new domains. We have explored the problem of isolating the domain dependencies within two large natural language systems, one for generating a tabular data base from text ("information formatting"), the other for retrieving information from a data base. We describe the <u>domain information schema</u> w ...

12 Statistical multiplexing and buffer sharing in multimedia high-speed networks: a frequency-domain perspective

Wing-cheong Lau, San-qi Li

June 1997 IEEE/ACM Transactions on Networking (TON), Volume 5 Issue 3

Publisher: IEEE Press

Full text available: 📆 pdf(526.43 KB) Additional Information: full citation, references, citings, index terms

Keywords: ATM, BISDN, network source allocation, source characterization, traffic, traffic management

13 Architecture 2: FPGA clock network architecture: flexibility vs. area and power

Julien Lamoureux, Steven J. E. Wilton

February 2006 Proceedings of the 2006 ACM/SIGDA 14th international symposium on Field programmable gate arrays FPGA '06

Publisher: ACM Press

Additional Information: full citation, abstract, references, index terms Full text available: pdf(1.47 MB)

This paper examines the tradeoffs between flexibility, area, and power dissipation of programmable clock networks for Field-Programmable Gate Arrays (FPGA's). The paper begins by describing a parameterized clock network model that describes a broad range of programmable clock network architectures. Specifically, the model supports architectures with multiple local and global clock domains and varying amounts of flexibility at various

levels of the clock network. Using the model, the architectura ...

Keywords: FPGA, architecture, clock network, low-power

14 The theory of parsing, translation, and compiling

Alfred V. Aho, Jeffrey D. Ullman

January 1972 Book

Publisher: Prentice-Hall, Inc.

Full text available: pdf(98.28 MB)

Additional Information: full citation, abstract, references, cited by, index

terms

From volume 1 Preface (See Front Matter for full Preface)

This book is intended for a one or two semester course in compiling theory at the senior or graduate level. It is a theoretically oriented treatment of a practical subject. Our motivation for making it so is threefold.

(1) In an area as rapidly changing as Computer Science, sound pedagogy demands that courses emphasize ideas, rather than implementation details. It is our hope that the algorithms and concepts presen ...

15 Software merge: semantics of combining changes to programs

· Valdis Berzins

November 1994 ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 16 Issue 6

Publisher: ACM Press

Full text available: pdf(2.07 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

We present a language-independent semantic model of the process of combining changes to programs. This model extends the domains used in denotational semantics (complete partial orders) to Boolean algebras, and represents incompatible modifications as well as compatible extensions. The model is used to define the intended semantics of changemerging operations on programs and to establish some general properties of software merging. We determine conditions under which changes to subprograms ...

Keywords: domains, semantics, software change merging, software maintenance

16 Energy aware design: Dynamic frequency and voltage control for a multiple clock domain microarchitecture

Greg Semeraro, David H. Albonesi, Steven G. Dropsho, Grigorios Magklis, Sandhya Dwarkadas, Michael L. Scott

November 2002 Proceedings of the 35th annual ACM/IEEE international symposium on Microarchitecture MICRO 35

Publisher: IEEE Computer Society Press

Full text available: Additional Information: full citation, abstract, references, citings, index terms Publisher Site

We describe the design, analysis, and performance of an on--line algorithm to dynamically control the frequency/voltage of a Multiple Clock Domain (MCD) microarchitecture. The MCD microarchitecture allows the frequency/voltage of microprocessor regions to be adjusted independently and dynamically, allowing energy savings when the frequency of some regions can be reduced without significantly impacting performance. Our algorithm achieves on average a 19.0% reduction in Energy Per Instruction (EPI) ...

17	Mondrix: memory isolation for linux using mondriaan memory protection	
	Emmett Witchel, Junghwan Rhee, Krste Asanović	
~	October 2005 ACM SIGOPS Operating Systems Review , Proceedings of the twentieth	
	ACM symposium on Operating systems principles SOSP '05, Volume 39 Issue 5	
	Publisher: ACM Press	
	Full text available: pdf(332.09 KB) Additional Information: full citation, abstract, references, citings, index terms	
	This paper presents the design and an evaluation of Mondrix, a version of the Linux kernel with Mondriaan Memory Protection (MMP). MMP is a combination of hardware and software that provides efficient fine-grained memory protection between multiple protection domains sharing a linear address space. Mondrix uses MMP to enforce isolation between kernel modules which helps detect bugs, limits their damage, and improves kernel robustness and maintainability. During development, MMP exposed two kerne	
	Keywords: fine-grained memory protection	
18	Advanced architectures for low power optimization: Interactive presentation:	
10	PowerQuest: trace driven data mining for power optimization	
	Pietro Babighian, Gila Kamhi, Moshe Vardi	
	April 2007 Proceedings of the conference on Design, automation and test in Europe	
	DATE '07 Publisher: EDA Consortium	
	Full text available: pdf(212.54 KB) Additional Information: full citation, abstract, references	
	We introduce a general framework, called PowerQuest, with the primary goal of extracting "interesting" dynamic invariants from a given simulation-trace database, and applying it to the power-reduction problem through detection of gating conditions. PowerQuest adopts machine-learning techniques for data mining. The advantages of PowerQuest in comparison with other state-of-the-art Dynamic Power Management (DPM) techniques are: 1) Quality of ODC conditions for gating 2) Minimization of extra lo	
19	Practical solutions for power-aware testing: Transition delay fault test pattern	
	generation considering supply voltage noise in a SOC design	
~	Nisar Ahmed, Mohammad Tehranipoor, Vinay Jayaram June 2007 Proceedings of the 44th annual conference on Design automation DAC '07	
	Publisher: ACM Press	
	Full text available: pdf(649.78 KB) Additional Information: full citation, abstract, references, index terms	
	Due to shrinking technology, increasing functional frequency and density, and reduced noise margins with supply voltage scaling, the sensitivity of designs to supply voltage noise is increasing. The supply noise is much larger during at-speed delay test compared to normal circuit operation since large number of transitions occur within a short time frame. Existing commercial ATPG tools do not consider the excessive supply noise that might occur in the design during test pattern generation. In	
	Keywords: delay testing, supply noise, test generation	
20	Expressive power of an algebra for data mining	

Toon Calders, Laks V. S. Lakshmanan, Raymond T. Ng, Jan Paredaens
December 2006 ACM Transactions on Database Systems (TODS), Volume 31 Issue 4

Publisher: ACM Press

Full text available: pdf(392.18 KB) Additional Information: full citation, appendices and supplements, abstract, references, index terms

The relational data model has simple and clear foundations on which significant theoretical and systems research has flourished. By contrast, most research on data mining has focused on algorithmic issues. A major open question is: what's an appropriate foundation for data mining, which can accommodate disparate mining tasks? We address this problem by presenting a database model and an algebra for data mining. The database model is based on the 3W-model introduced by Johnson et al. [2000] ...

Keywords: Algebra, data mining, expressive power

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Login: **±** Register

Home Br	owse	Search	My Settings	Alerts	Help		
Quick Search	Title, a	abstract, ke	ywords			Author e.c	
? search tips	3	Journal/bo	ook title			Volume Issue Page	
5 Articles Found Save a			it Search Save Save as Sear Sea	·	Results: Go		
pub-date > 1993 and pub-date < 2005 and isolation logic w/25 module* and power w/15 domain*							
= Full-text a	available	= Non-	subscribed ②	What doe	s this mean?	•	
Article Lis	t	Full Abstra	cts Sort by	/ Date Sor	t by Relevanc	e	
£ (Display	Selected Ar	ticles 🕲 E-ma	il Articles (Export Citati	ions	
🗖 1. 🞵	Advan	as Fourikis		tions and R	F Technologie	es, 2000, Pages 283-324	
2.	Subject index volumes 1–200 Theoretical Computer Science, Index to Volumes 213-214, 17 February 1999, Pages 5-436 PDF (25117 K)						
■ 3. □	Integra A. Ferr	tion, the VL é, E. Isern,	e of the art and SI Journal, Volu J. Rius, R. Rodi Ill Text + Links	ime 26, Issi riguez-Mon	<i>ues 1-2, 1 Dec</i> tañés and J. F	ember 1998, Pages 167-196 igueras	
3 4. 🏻	Analysis, design, implementation, and deployment of a prototype maintenance advisor expert system for the MK92 fire control system Expert Systems with Applications, Volume 10, Issue 2, 1996, Pages 193-207 Magdi N. Kamel, Martin J. McCaffrey and Paul G. Metzler Abstract Abstract + References PDF (2288 K)						
□ 5. □	Constraint logic programming: a survey The Journal of Logic Programming, Volumes 19-20, Supplement 1, May-July 1994, Pages 503-581 Joxan Jaffar and Michael J. Maher Abstract						
5 Articles Found Edit Search Save Search Save as Search Alert Save Search Feed							
pub-date > 19	93 and p	oub-date < 2	2005 and isolation	on logic w/2	5 module* and	d power w/15 domain*	
Home B	rowse	Search	My Settings	Alerts	Help		
About ScienceDirect Contact Us Terms & Conditions Privacy Policy Copyright © 2007 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.							

ProQuest

Return to the USPTO NPL Page | Help

					Interface language:
Basic	Advanced	Topics	Publications	My Research 0 marked items	English

<u>Databases selected:</u> Multiple databases...

No documents found for: isolation logic w/20 module* and power w/15 domain*

Refine your search below using the following tips:

- Check your spelling.
- Reduce the number of terms included in your search.
- Broaden your search by selecting other <u>databases</u>, removing limits, or searching "Citations and document text" (if available).
- Use "AND" to connect two words that don't need to be searched as a phrase.
- Connect similar terms with the "OR" operator (e.g. military OR pentagon). See <u>Search Tips</u> for more hints.

isolation logic	w/20 module* and por	wer w/15 domain	***************************************	Search Clear
Database:	Multiple databases	THE RESIDENCE OF THE PROPERTY	圍	Select multiple databases
Date range:	All dates			
Limit results to	:	ts only		
	☐ Scholarly journals	, including peer-reviewe	ed About	

Copyright © 2007 ProQuest LLC. All rights reserved.



WEST Search History

Hide Items	Restore	Clear	Cancel
------------	---------	-------	--------

DATE: Monday, October 01, 2007

Hide?	<u>Set</u> <u>Name</u>	Query	<u>Hit</u> Count
	DB=PG	PB,USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
	L4	((isolation logic with module?) same power domain) and voltage constraint?	· 1
	L3	isolation logic and module? and power domain and voltage constraint?.clm.	. 3
	L2	(703/13,14,18.ccls. or 716/4,18.ccls.) and (isolation logic with module?)	8
	L1	kapoor.in. and (isolation logic with module?)	3

END OF SEARCH HISTORY